

clinell™

Universal Range

The NHS's no.1 choice
for one-step cleaning
and disinfection



Patented formulation

Trusted for over a decade

Used in 9 out of 10 hospitals in the UK, Clinell Universal has cleaned and disinfected surfaces and protected people against healthcare-associated infections (HAIs) since its introduction in 2006.

Easy to use



Broad antimicrobial activity



No pre-cleaning required



Compatible with surfaces



Kills
>99.99%
bacteria, viruses
and yeast

Effective from
10 seconds



Compatible with
**plastics,
rubbers
& metals**

Clinell Universal wipes contain
a unique detergent system

You can achieve effective
decontamination in one
step without compromising
on disinfection

2-in-1
cleaning and
disinfection

Tested under dirty conditions to
simulate non-precleaned surfaces

Our patented formula is designed for
real-world soils: our detergent based
cleaning system helps lift and solubilise
organic contamination so disinfectants
can work as intended



Contents

page

Surface contamination

Prioritising prevention	4
Clinell Universal Wipes	5

Microbial reduction

Antimicrobial efficacy	8
Clinical evidence	10

Brought to you by GAMA Healthcare

Product offering	12
Clinical education	13
How to use	14
Order information	15

Prioritising prevention

Infection prevention is a global priority.

With the combined global threat of antimicrobial resistance¹ and limited antibiotics, we must prioritise prevention to minimise the human and economic cost of infections.

The Department of Health & Social Care is calling for behavioural change in response to the global, growing threat of antimicrobial resistance (AMR); promoting correct and controlled use of antibiotics and employing a “strong focus on infection prevention and control” in its 5 year plan².

Environmental decontamination, the removal of organic matter and microorganisms, improves IPC practices to reduce the risk of HCAs caused by pathogens living on surfaces.

Without diligent decontamination, microorganisms can live on surfaces for hours, even days³, and further the spread of infections.

Methicillin-resistant *Staphylococcus aureus*, a multi-drug resistant organism (MDRO) is found to survive on surfaces for 12 days³. However, MDROs aren't exclusive to bacteria, *Candida auris*, a fungal infection, presents a new risk to patients and workers in healthcare.


Outbreak economics

One carbapenemase-producing *Enterobacteriales* (CPE) outbreak cost €1.1m (£0.96m) over 10 months across three hospitals in West London⁴.

Affecting patients and healthcare workers, HCAs increase costs associated with:

- Length of stay
- Patient isolation
- Outpatient and community care
- Intensive care
- Increased screening
- NHS staff absence

Preventing HCAs will reduce their clinical and economic impact on the NHS.



HCAs cost
£2.7 billion
in NHS England
alone⁵

Universal protection

A patented idea.

Before Clinell Universal Wipes, cleaning and disinfection were separate steps. Two NHS doctors unpicked this frustration and created Clinell Universal Wipes, the first combined detergent-disinfectant used in the NHS.

Cleaning is the first and essential step in decontamination: removing soils and organic residue is critical because it can reduce the effectiveness of disinfectants. Clinell Universal is designed to clean while it disinfects, supporting reliable outcomes in busy clinical settings.

GAMA Healthcare drives scientific innovation within infection prevention and control. With a portfolio spanning surface hygiene, skin disinfection, air purification and patient isolation, we create products that prevent infections to save and improve lives.

Our products are designed to work. That's why we test under real world conditions, contact times and echo our laboratory testing in peer-reviewed clinical studies. Used in 9 out of 10 NHS hospitals, Clinell Universal Wipes are clinically tested and evidenced to clean and disinfect in a single step, killing pathogens before they can cause infection.





clinell®



Routine decontamination

Cleaning, disinfection and protection between each patient.

Clinell Universal Wipes are tried, tested and trusted in healthcare across the UK.



Broad spectrum protection

Clinically proven to reduce surface contamination by >99.99%, Clinell Universal Wipes produce a fully bactericidal 99.999% kill rate and are effective against viruses†, yeast & MDROs including methicillin-resistant *Staphylococcus aureus* (MRSA).



Damage free disinfection

With exceptional material compatibility, safe for plastics, rubbers and metals; Clinell Universal Wipes are suitable for the disinfection and cleaning of non-invasive medical devices – without the damage.



Evidenced HCAI reduction

A bank of clinical evidence shows how adopting Clinell Universal Wipes into practice: improves environmental decontamination compliance⁶, reduces microbial contamination⁷, and reduces HCAI acquisitions⁸.



Complete compliance support

No dilution errors, no additional products and no wasted time⁹: Clinell Universal conveniently combines two processes into one product, making infection prevention excellence quick and easy.

Antimicrobial efficacy

Purposefully tested in simulated real-world conditions.


To give an accurate insight into clinical performance, we test the liquid squeezed from a wipe under dirty conditions.

In real life, cleaning and disinfection are undertaken in the presence of organic matter and dirt. Conducting efficacy testing in clean conditions can detract from the true performance of a disinfectant, so efficacy claims should be looked at carefully.

Clinell Universal Wipes' patented formulation has been rigorously tested against EN Standards under dirty conditions to simulate real world conditions and contact times. We test using 'wipe eluate', the liquid squeezed from the wipe, to give an insight into true clinical performance.

	Microorganism example	Contact time	EN test	Liquid sample	Conditions
Gram-negative bacteria	<i>Acinetobacter baumannii</i>	10 sec	EN13727	Wipe eluate	Dirty
	<i>Escherichia coli</i>	10 sec	EN13727	Wipe eluate	Dirty
	<i>Klebsiella pneumoniae</i> (CPE)	10 sec	EN13727	Wipe eluate	Dirty
	<i>Pseudomonas aeruginosa</i>	10 sec	EN13727	Wipe eluate	Dirty
Gram-positive bacteria	<i>Enterococcus hirae</i>	10 sec	EN13727	Wipe eluate	Dirty
	<i>Staphylococcus aureus</i> (MRSA)	10 sec	EN13727	Wipe eluate	Dirty
	<i>Staphylococcus capitis</i>	10 sec	EN13727	Wipe eluate	Dirty
	<i>Enterococcus faecium</i> (VRE)	10 sec	EN13727	Wipe eluate	Dirty
Mycobacteria	<i>Mycobacterium bovis</i>	2 min	EN14348	Wipe eluate	Dirty
Non-enveloped viruses	Adenovirus	1 min	EN14476	Wipe eluate	Dirty
	Norovirus	1 min	EN14476	Wipe eluate	Dirty
	Rotavirus	1 min	EN14476	Wipe eluate	Dirty
	HIV	30 sec	EN14476	Wipe eluate	Dirty
	Hepatitis C	1 min	EN14476	Wipe eluate	Dirty
	SARS-CoV-2	30 sec	EN14476	Wipe eluate	Dirty
	Vaccinia virus	15 sec	EN14476	Wipe eluate	Dirty
	Influenza (H5N1)	30 sec	EN14476	Wipe eluate	Dirty
	Influenza (H1N1, H3N2)	2 min	EN14476	Wipe eluate	Dirty
Yeast	<i>Candida albicans</i>	10 sec	EN16615	Wipe eluate	Dirty
	<i>Candida auris</i>	10 sec	EN13624	Wipe eluate	Dirty

Condensed efficacy data for Clinell Universal Wipes. Efficacy testing has been completed for 50 microorganisms.



Scan the QR code to view Clinell Universal's full efficacy data.



Clinical evidence

The advantages of wipes.

A clinically effective alternative to two-step protocols¹⁰, Clinell Universal Wipes improve environmental decontamination compliance¹¹ and adherence to protocols¹².

Clinell Universal Wipes are formulated and engineered to maximise disinfection and minimise effort. Loaded into a dispenser at the point of use, they can be applied to surfaces straight from the pack. No dilutions, no preparation, no problems.

Wipes provide advantages over solution-cloth disinfectants. When applied to a cloth or 'substrate', biocides can be adsorbed onto the material.

Poorly engineered wipes and cloths can strongly adsorb active ingredients and make disinfection efforts ineffective¹³.

Most laboratory efficacy tests don't consider the roles of substrate and application in real-world performance, that's why Clinell Universal Wipes have been evidenced in practice through peer-reviewed clinical research.



Clinical evidence

Cost effective

Saves product expenditure and costs associated with HCAIs, Clinell Universal Wipes prevent transmission of pathogens including MDROs.

VRE contamination by

▼ **97%**

Chang *et al. IPS.* 2017.

Time saving

Adopting Clinell Universal Wipes and protocols with the support of GAMA's IPC Nurse Trainers & Clinical Educators saves time for every item decontaminated.

Time to decontaminate per item

▼ **>5 min**

Shepherd *et al. J Infect Prev.* 2020;21(6):241-246.

Enhanced compliance

Increasing product availability at the point of use, along with training and auditing, promotes use and compliance with local policy.

Environmental decontamination compliance by


▲ **66%**

Jenkins *et al. J Clin Audit.* 2012;4(3)

Infection acquisition rates

Clinell Universal Wipes more than halved MRSA acquisitions in Queen Elizabeth University Hospital Birmingham, a large teaching hospital in the UK.

This significant reduction was achieved by replacing a two-step cleaning and disinfection process with the adoption of a combined detergent and disinfectant, Clinell Universal Wipes.






55%
reduction in MRSA
with Clinell
Universal Wipes⁸

Product comparison

Developed and manufactured by GAMA Healthcare, the Clinell product range is the gold-standard in environmental decontamination.

Combining innovative technology with ease of use, the Clinell range offers a complete solution for routine, enhanced and complete disinfection. Each product is supported and verified by solid clinical evidence. Introducing Clinell Universal Wipes resulted in a 55% reduction in MRSA acquisitions⁸.

Clinell Peracetic Acid Wipes produced a 72% reduction in Clostridioides difficile infections¹⁵ and Violet by Clinell provides protection from MDROs 5x faster than other UV devices¹⁶.

	Protection against common HCAI-causing pathogens	Targeting high-risk & hard-to-kill pathogens	Advancing manual cleaning with UV-C technology
			
Use	Clinell Universal Wipes	Clinell Peracetic Acid Wipes	Violet by Clinell
Routine between patients	✓		
Outbreak preventing & resolving	✓	✓	✓
Terminal cleaning	✓	✓	✓
Performance			
Cleaning	✓	✓	
Disinfecting	✓	✓	✓
Effective in dirty conditions	✓	✓	✓*
Efficacy			
Clinically proven to reduce MDROs	✓	✓	✓
Kills >99.999% of bacteria	✓	✓	✓
Kills > 99.99% of viruses†	✓	✓	✓
Kills >99.99% of yeast	✓	✓	✓
Kills >99.99% of bacterial spores		✓	✓
Kills >99.99% of fungi & dry surface biofilms		✓	
Contact time			
Effective from 10 seconds	✓	✓	

Clinical education

Unbeatable support.

Developed in collaboration with leading infection prevention experts, our award-winning aftersales support is proven to improve staff decontamination capability ($P < 0.0001$) and significantly reduce the time taken to clean ($P < 0.0001$)⁶.

Our specialist IPC Nurse Trainers & Clinical Educators provide on-ward training to NHS Trusts and healthcare organisations.

Every element of face-to-face training can be tailored to create a bespoke package suited to your needs, including the implementation of our Clinell Training Package.

Educating healthcare workers, digitally, the Clinell interactive training package is complete with customisable sessions and the most up-to-date evidence. Integrated audit tools can be used to identify problem areas within your trust, so training can be delivered where it's needed most.

100% of staff felt training would improve their practice.

A total of **182** training days.



Trained over **32,000** staff.

gama
healthcare

96%

of staff agree training would make a difference to what they do in the future.



98%
of staff we surveyed said:

“**Training will make things safer for patients**”

“GAMA Healthcare provided an excellent service and their organisation-wide training programme is especially commendable.”

Natalie Vaughan, Clinical Lead Infection Prevention & Control, Nottingham University Hospitals

How to use

How to use Clinell Universal Wipes




Wash or decontaminate your hands and put on PPE (risk assessment to ensure appropriate PPE is worn, as per local protocol).



Remove one wipe from the pack.



Working from top to bottom, clean to dirty, wipe in an 'S' shaped pattern.



Should your wipe dry out or become soiled, replace it with a new wipe. Let the surface air dry.

The following equipment should be regularly decontaminated with Clinell Universal Wipes as per local protocol / policy.

(Examples of use - this is not an exhaustive list)

- Ultrasound transducers
- Pulse oximeter probes
- Doppler probes
- Stethoscopes
- ECG machines
- Incubators
- Blood pressure machines
- Radiology equipment
- Blood pressure cuffs
- Monitors
- Mattresses

Ordering information

Product details

	Product	Wipe quantity	Product code	NHS code
Wipes	Universal Wipes Our famous green wipes in convenient pack sizes	200	CW200	VJT118
		40	CW40*	VJT119
	Universal Wipes Adhesive Back 50 Peel off and stick to nearby flat surfaces	50	CWAB50	VJT518
	Universal Wipes Clip Pack 50 Clip to equipment for convenient access	50	CWCP50	VJT253
	Universal Maceratable Wipes 160 Dispose by macerator after use	160	CWFM160	VJT597
Tubs, buckets & refills	Universal Wipes Tub 100	100	CWTUB100	VJT223
	Universal Wipes Tub Refill 100	100	CWTUB100R	VJT224
	Universal Wipes Bucket 225	225	CWBUC225	VJT190
	Universal Wipes Bucket Refill 225	225	CWBUC225R	VJT192
Additional items	Universal Wipes Dispenser	-	CUD*	-
	Indicator Notes Green	-	CCIN1000GS*	VJT85001

*These product codes are not classified as Class IIa Medical devices

To find out more, speak to your GAMA Healthcare Area Manager or visit www.gamahealthcare.com



References

1. World Health Organisation. Antibiotic resistance. Published Jul 31, 2020 Accessed Mar 8, 2022. www.who.int/news-room/fact-sheets/detail/antibiotic-resistance#:~:text=Bacteria%2C%20not%20humans%20or%20animals,hospital%20stays%2C%20and%20increased%20mortality.
2. HM Government, Department of Health and Social Care. Tackling antimicrobial resistance 2019-2024. The UK's five year national action plan. Published Jan 24, 2019. Accessed Mar 8, 2022. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/784894/UK_AMR_5_year_national_action_plan.pdf
3. Huang R, Mehta S, Weed D, Price CS. Methicillin-resistant Staphylococcus aureus survival on hospital fomites. *Infect Control Hosp Epidemiol*. 2006 Nov;27(11):1267-9.
4. Otter JA, Burgess P, Davies F, Mookerjee S, Singleton J, Gilchrist M, Parsons D, Brannigan ET, Robotham J, Holmes AH. Counting the cost of an outbreak of carbapenemase-producing Enterobacteriaceae: an economic evaluation from a hospital perspective. *Clin Microbiol Infect*. 2017 Mar;23(3):188-196.
5. Guest JF, Keating T, Gould D, et al. Modelling the annual NHS costs and outcomes attributable to healthcare-associated infections in England. *BMJ Open* 2020;10:e033367.
6. Shepherd E, Leitch A, Curran E. Infection Prevention and Control Team NHS Lanarkshire. A quality improvement project to standardise decontamination procedures in a single NHS board in Scotland. *J Infect Prev*. 2020;21(6):241-246.
7. Zimmerman P-A, Browne M, Rowland D. Instilling a culture of cleaning: Effectiveness of decontamination practices on non-disposable sphygmomanometer cuffs. *J Infect Prev*. 2018;19(6):294-299.
8. Garvey MI, Wilkinson MAC, Bradle CW, Holden KL, Holden E. Wiping out MRSA: effect of introducing a universal disinfection wipe in a large UK teaching hospital. *Antimicrob Resist Infect Control*. 2018;7:155.
9. Royal College of Nursing. Wipe it out: the selection and use of disinfectant wipes. 2011.
10. Casini B, Righi A, De Feo N, et al. Improving Cleaning and Disinfection of High-Touch Surfaces in Intensive Care during Carbapenem-Resistant Acinetobacter baumannii Endemo-Epidemic Situations. *Int J Environ Res Public Health*. 2018;15(10):2305.
11. Jenkins EK, Silman F, Gosden PE. Sharps Tray Cleaning after use - A completed audit cycle. *J Clin Audit*. 2012; 4(3).
12. Martin ET, Dadon M, Lazarovitch T, Saadon H, Maya T, Jaffe K, Moscovich S, Zaidenstein R, Marchaim D. 1150. Cleaning High Touch Surfaces of Patients' Rooms: Make It Easier, and It Simply Gets Cleaner. *Open Forum Infect Dis*. 2018 Nov 26;5 (Suppl 1):S346.
13. Bloss R, Meyer S, Kampf G. Adsorption of active ingredients of surface disinfectants depends on the type of fabric used for surface treatment. *J Hosp Infect*. 2010 May;75(1):56-61.
14. Chang et al. A comparison of 1000ppm chlorine solution and detergent/disinfectant wipes for decontamination of a clinical environment contaminated with vancomycin-resistant enterococci. *IPS*. 2017: Manchester
15. Carter Y, Barry D. Tackling C. difficile with environmental cleaning. *Nurs Times*. 2011;107(36):22-25.
16. Rutala WA, Gergen MF, Tande BM, Weber DJ. Room Decontamination Using an Ultraviolet-C Device with Short Ultraviolet Exposure Time. *Infect Control Hosp Epidemiol*. 2014;35(8):1070-1072.



Scan for more information

† Enveloped viruses.

CE 0050 Class IIa Medical Device

Use disinfectants safely.
Always read the label and product information before use.

Always follow medical equipment manufacturer's cleaning procedures and guidelines.

JBN220754

GAMA Healthcare Ltd.,

The Maylands Building, Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 7TG, UK.
T: +44 (0)20 7993 0030 E: info@gamahealthcare.com www.gamahealthcare.com

