Product brochure

clinell®








Skin decolonisation simplified.

- Streamline steps
- Save time
- 24 hour protection

Skin decolonisation from Clinell

Global guidelines champion chlorhexidine for skin decolonisation¹⁻⁵.

Chlorhexidine bathing is an evidenced protocol^{6–12}, trusted to deliver effective results for daily and pre-admission skin decolonisation.



Challenges with traditional methods

- Preparing multiple products and elongated protocol - Risk of cross-contamination from water and basins



Traditional skin decolonising bed bath







Not all Chlorhexidine wipes are the same


Effective skin decolonisation with Clinell Chlorhexidine pack of 8.



Not all 2% chlorhexidine products deliver 2% chlorhexidine onto the skin.

Clinell Chlorhexidine Range is validated to ensure 2% CHG is consistently delivered¹⁴.





Products to be used on skin should be tested on skin


Products which are used to decolonise the skin are often tested to determine their efficacy using European test standards.

Clinell Chlorhexidine Wash Cloths



Shown to be bactericidal in the modified EN1500, a European test standard which uses a wipe on the hands of volunteers, representing real life use more closely.

Other Chlorhexidine wipes



EN13727 (bactericidal) and EN13624 (yeasticidal) tested. These tests are performed in a test tube within the laboratory and therefore are not representative of the products use in practice.



Product	Product code
Clinell Chlorhexidine Wash Cloths (8)	CHGWC8
Clinell Chlorhexidine Wash Gloves (8)	CHGWGL8
Clinell Chlorhexidine Shampoo Cap	CHGSC1

To find out more, contact your local **GAMA Healthcare Area Representative** or visit **www.gamahealthcare.com**

Brought to you by GAMA Healthcare

As infection prevention specialists, we believe gold-standard protocols require innovative products and exceptional support. That's why we collaborate closely with our local partners to provide Clinell users with market-leading clinical training and education.

References

- Global guidelines for the prevention of surgical site infection, second edition. Geneva: World Health Organization; 2018. Licence: CC BY-NC-SA 3.0 IGO.
- O'Grady NP, Alexander M, Burns LA, et al. Guidelines for the prevention of intravascular catheter-related infections. Am J Infect Control. 2011;39(4 Suppl 1):S1-S34. doi:10.1016/j. aiic.2011.01.003
- Loveday HP, Wilson JA, Pratt RJ, et al. epic3: national evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England. J Hosp Infect. 2014;88 Suppl 1:S1-S70. doi:10.1016/S01956701/13/60012-2
- Surgical site infections: prevention and treatment. London: National Institute for Health and Care Excellence (NICE): August 19, 2020
- Coia JE, Wilson JA, Bak A, et al. Joint Healthcare Infection Society (HIS) and Infection Prevention Society (IPS) guidelines for the prevention and control of meticillin-resistant Staphylococcus aureus (MRSA) in healthcare facilities. J Hosp Infect. 2021;118:S1-S39. doi:10.1016/j.lhin.2021.09.022
- Denkel LA, Schwab F, Clausmeyer J, et al. Effect of antiseptic bathing with chlorhexidine or octenidine on central line-associated bloodstream infections in intensive care patients: a cluster-randomised controlled trial. Clin Microbiol Infect. 2022;28(6):825-831. doi:10.1016/j.cmi.2021.12.023
- Ruiz J, Ramirez P, Villarreal E, et al. Daily bathing strategies and cross-transmission of multidrug-resistant organisms: Impact of chlorhexidine-impregnated wipes in a multidrugresistant gram-negative bacteria endemic intensive care unit. Am J Infect Control. 2017;45(10):1092-1073. doi:10.1016/j.ieji.2017.06.020
- Feriani D, Souza EE, Carvalho LGM, et al. Is it cost effective to use a 2% chlorhexidine wipes bath to reduce central-line associated blood stream infection? A quasi-experimental study. Braz J Infect Dis. 2021;25(1):101538. doi:10.1016/j.bjid.2021.101538

- Chung YK, Kim JS, Lee SS, et al. Effect of daily chlorhexidine bathing on acquisition of carbapenem-resistant Acinetobacter baumannii (CRAB) in the medical intensive care unit with CRAB endemicity. Am J Infect Control. 2015;43(11):1171-1177. doi:10.1016/j. aiic.2015.07.001
- Kim JS, Chung YK, Lee SS, et al. Effect of daily chlorhexidine bathing on the acquisition of methicillin-resistant Staphylococcus aureus in a medical intensive care unit with methicillinresistant S aureus endemicity. Am J Infect Control. 2016;44(12):1520-1525. doi:10.1016/j. aii. 2016.04.952
- Huang H ping, Chen B, Wang HY, He M. The efficacy of daily chlorhexidine bathing for preventing healthcare-associated infections in adult intensive care units. Korean J Intern Med. 2016;31(6):1159-1170. doi:10.3904/kjim.2015.240
- Tien KL, Wang JT, Sheng WH, et al. Chlorhexidine bathing to prevent healthcareassociated vancomycin-resistant Enterococcus infections: A cluster quasi-experimental controlled study at intensive care units. J Formos Med Assoc. 2021;120(3):1014-1021. doi:10.1016/j.jfma.2020.08.048
- Denkel LA, Schwab F, Clausmeyer J, et al. Central-line associated bloodstream infections in intensive care units before and after implementation of daily antiseptic bathing with chlorhexidine or octenidine: a post-hoc analysis of a cluster-randomised controlled trial. Antimicrob Resist Infect Control. 2023;12(1):55. doi:10.1186/s13756-023-01260-w
- Farthing K, Wares KD, Siani H. When 2% chlorhexidine isn't 2% llmplications on MRSA decolonization guidelines. *J Hosp Infect*. 2022 Sep; 127:133-134. doi: 10.1016/j. jhin.2022.06.006. Epub 2022 Jun 18. PMID: 35724952
- Popovich KJ, Lyles R, Hayes R, et al. Relationship between chlorhexidine gluconate skin concentration and microbial density on the skin of critically ill patients bathed daily with chlorhexidine gluconate. *Infect Control Hosp Epidemiol*. 2012;33(9):889-896. doi:10.1086/667371
- Rhee Y, Palmer LJ, Okamoto K, et al. Differential Effects of Chlorhexidine Skin Cleansing Methods on Residual Chlorhexidine Skin Concentrations and Bacterial Recovery. *Infect Control Hosp Epidemiol.* 2018;39(4):405-411. doi:10.1017/ice.2017.312

Use biocides safely. Always read the label and product information before use.

